

DATE: MARCH 10, 2006

TO: ALL INTERESTED PARTIES

**RE: M. V. SEALTH
DOCKSIDE PRESERVATION
CONTRACT 00-7083**

ADDENDUM NO. 4

This is to inform you of the following updates and changes to the Invitation For Bids (IFB) for the above-referenced project:

CONTRACT PROVISIONS IFB Volume I

SPECIFICATIONS IFB Volume II

Attached hereto and incorporated herein are revisions to the IFB Schedule, the IFB Bidder Instructions and the IFB Technical Specifications documents.

QUESTIONS AND ANSWERS

Attached hereto and incorporated herein are two (2) Questions and Answers regarding the IFB Bidder Information and the IFB Technical Specifications documents.

All other terms and conditions remain unchanged. All bidders will be required to acknowledge receipt of this Addendum on the Bid Form. All Addenda will become a part of the Contract.

Sincerely,

Barbara Olson
Contracts Coordinator

Attachment

ATTACHMENT TO ADDENDUM NO. 4

BIDDER INFORMATION IFB Volume I

IFB SCHEDULE

The IFB Schedule has been revised to incorporate a revision to the Bid Due Date. Subsequent IFB due dates have been revised accordingly. A revised IFB Schedule is attached hereto and incorporated herein. The revised Schedule supersedes and replaces the previously issued IFB Schedule.

BIDDER INSTRUCTIONS

BID DUE DATE Section 2

Page 2, line 3. Revise the Bid Due Date to read "**11:00 a.m. on Tuesday, March 21, 2006**".

TECHNICAL SPECIFICATIONS IFB Volume II

PREPARATION AND PAINTING OF ZONE NO. 2 Item 47

Page 53, line 31. Note. After WSF Inspector., add the following new text:

“WSF will allow preparation to a Hydroblasting standard HB 2 1/2, L Light Flash Rusting or grit blast to an SSPC-SP6, Commercial Blast Cleaning or SSPC-SP11, Power Tool Cleaning to Bare Metal.”

PREPARATION AND PRESERVATION OF ZONE NO. 2

Item 48

Page 54, lines 27 – 32. Paragraph A.

Delete the entire paragraph A and replace with the following new text:

- “A. Replace with Preparation to a Hydroblasting standard HB 2 1/2, L Light Flash Rusting or grit blast to an SSPC-SP6, Commercial Blast Cleaning or SSPC-SP11, Power Tool Cleaning to Bare Metal all surfaces of Port and Starboard troughs (below passenger windows) and six (6) inches up the bulkheads from the troughs.”

PREPARATION AND PAINTING OF ZONE NO. 3

Item 49

Page 55, line 5. Note. After WSF Inspector., add the following new text:

- “WSF will allow preparation to a Hydroblasting standard HB 2 1/2, L Light Flash Rusting or grit blast to an SSPC-SP6, Commercial Blast Cleaning or SSPC-SP11, Power Tool Cleaning to Bare Metal.”

QUESTIONS AND ANSWERS

- 1. Q. [IFB Technical Specifications, Item Nos. 47 and 48, Preparation and Painting of Zone No. 2.

Specification requires grit blasting over open water. Washington State Environmental Protection Agency [Dept. of Ecology] does not allow this practice. How does WSF propose shipyard to accomplish this task?

- A. Please see the revisions to IFB Volume II, Technical Specifications in this IFB Addendum.

2. **Q.** [IFB Technical Specifications, Item Nos. 49, Preparation and Painting of Zone No. 3.
The Specification requires grit blasting over open water. Washington State Environmental Protection Agency [Dept. of Ecology] does not allow this practice. How does WSF propose shipyard to accomplish this task?
- A.** Please see the revisions to IFB Volume II, Technical Specifications in this IFB Addendum.

(END)